

Report No. 18 CIA/PIR 75062

DATE

November 1966

25X1

GROUP 1 Excluded from automatic grading and declassification SECRET

Approved For Release 2003/03/04 : CIA-RDP78T05161A001200010045-7



Approved For Release 2003/03/04 : CIA-RDP78T05161A001200010045-7

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 704, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

| | | | | | | | | 7 | | | | | | | |
|--------------------|------|-----|----------------|------------------|------------------|----------------|---------------------------|------------------|------|------|------------------------|-------------|------------------|-------|--------|
| COP | Y | ` | COPY NO. | PUB. DATE | | LOCATIO | N | | MAST | ER | DATE RECEIVED | LOCA | ATION | | |
| | | ` | | verd From Rel | ease | 2003/0 | 3/04 : | | RDF | 78T0 | 05161A001200010045 | -7 MAX | MUM | | 10 |
| CUT TO COPIES O | | | DATE 1-73 | CUT TO COPIES | DATE | | | COPIES DESTROYED | | | | | | | |
| CUT TO COPIES | | | DATE | CUT TO COPIES | DATE | | | | | | | | | | |
| CUT TO COPIES | | | DATE | MASTER | | DATE | | | | | | | | | |
| DATE | | | TO DECEMBED OF | | NUMBER OF COPIES | | | DATE | | | | | NUMBER OF COPIES | | |
| мо. | DAY | YR. | THECE I TED OR | ₩EĐOR ISSUED | | D ISS'D | BAL | MO. | DAY | YR. | RECEIVED OR ISSUE | D | REC D | Iss'D | BAL |
| 5 | 22 | 68 | Dist. Unit | | 13 | | 13 | | | | | | | | |
| | 21 | 70 | INV Salare | ² . 3 | | 3 | 10 | | | | | | | | |
| 10 | 20 | 12 | Dest 10 | Copies | | | 0 | al | 2 | 6 | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | . | | | | | | | | | |
| | | | | | | | | _ | | | | | | | |
| | | | | | | + | | } | | | | | | | |
| | _ | | | | | | | ļ ! | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | Annro | red For Pol | easc | 2003/ | 3/04 | CIA | .RDE | 78Tr | 051614001200010045 | i-7 | | | |
| TITL | e Mi | PIC | 75062 RPI | #18 | Nov. | 1966 | , 0, 0 - 1 - 1 | Ś | | | 05161A001200010045 | | | | 25X1 |
| | | | ********* | | | | | L | | | SC | 35.6 | p. 7/2 | 5 | \sim |

| | | | | | | NUMBER OF COPIES | | | DATE | | | DECEIVE: | OR ISSUED | NUMBER OF COPIES | | | | |
|----|----------|---------|-----|-------|------------|------------------|-------|--------------|--------------|-------------------|--|------------------|--------------|--|-------------|----------|--|--------------|
| | DATE | T | _ | RECEI | VED OR | ISSUE | | REC'D | و د دیا | 845 | MO. | DAY | YR. | TOTAL COL | 200010045-7 | REC'D | 1 S S * D | BAL |
| ∸∤ | DAY | YR | | | Appro | oved_l | or Re | lease | 2003 | /03/04 | : CI/ | \-R L | P78 | H 05161A00 1 | 200010045-7 | | | |
| | | | | | | | | <u> </u> | | | | | L | <u> </u> | | <u> </u> | | |
| 1 | | | | | | | | | | 1 | | | | | | l | <u> </u> | |
| _ | | ļ | | | | | | | | | | <u> </u> | | | | | | |
| | | | | | | | | | | <u> </u> | | ļ | | | | | | |
| | | _ | | | | | | | | | | Ì | | | | | <u>. </u> | <u> </u> |
| _ | | ⊢ | | | | | | | | 1 | | | | | | | | |
| | | | - 1 | | | | | | | | ļ | L | - | ļ | | | | + |
| | | Γ | | | | | | 1 | , | i | | | | | . <u> </u> | | <u> </u> | |
| | <u> </u> | ├ | | | | | | + | | | | | | | | | | |
| | | | ļ | | | | | | ļ | | | ļ | ↓ | | | | + | |
| | | Γ | | | | | | 1 | İ | | | | | | | | | ļ |
| | | ╁╴ | | | | | | - | | 1 | | | | | | | 1 | |
| | | L | | | | | | | | | - | + | | | | | | |
| | | | 1 | | | | | ļ | 1 | | | | | | | | _ | - |
| _ | ├ | ╀ | + | | | | | — | | | | | | | , | | } | 1 |
| | | | | | | | | | <u> </u> | ļ | | | | | | | | 1 |
| | | T | | | | | | | | | İ _ | | <u></u> | <u> </u> | | | | <u> </u> |
| | + | +- | _ | | | | | 1 | | | | | | | | } | | Ì |
| | | L | | | | | | | _ | | +- | | +- | | | | | |
| | | | | | | | | | 1 | | | | | | | | | - |
| | +- | + | | | | | | | | | | | | | | | | |
| | <u> </u> | \perp | | | | | | + | + | + | + | + | ╁ | | | | | |
| | 1 | | | | | | | | | | | 1 | <u> </u> | | | | | |
| - | +- | + | -+ | | A 10 10 11 | | | Jaco | 2002 | 102104 | | | h79 | TOE161 A001 | 20001004F 7 | | 1 | |
| | LE M | | | | Appro | ved | or Re | elease | 2003 | / <u>43/04</u> | <u>. U /</u> | <u> </u> | 1 7 0 | IUD IO IAUU I | 200010045-7 | | | |

PIR-75062 RPT.#18

Nov. 1966 S 8

| Approved For Release | 2003/03504CRCIA-RDP7 | 78T05161A001200010045-7 |
|------------------------|----------------------|-------------------------|
| Abbiological Cityonoge | | 010010171001200010010 |

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

.25X1

PREFACE

This report summarizes significant items of photo intelligence relating to the North Vietnamese railroad system which has been developed from available photography (received by the CIA Imagery Analysis Division) during the period indicated on the cover. This report is intended to provide a comprehensive view of the railroad system and does not necessarily reflect the most recent status changes as reported by pilots' reports or field photo intelligence cables.


The railroad system has been broken down into 5 major lines: the Hanoi/Lao Cai Line, the Hanoi/Dong Dang Line, the Hanoi/ Haiphong Line, the Hanoi/Dong Hoi Line and the Thai Nguyen Line (Figure I). Annotated maps and photos are used to show the status of each line.

25X1

-1-

Approved For Release 2003/03/04SECAA-RDP78T05161A001200010045-7

PIR 750**25X1**FIGURE 1



Approved For Release 2003/p3/04 : CIA-RDP 78T05161A001200010045-7

| Approved For Rel | ease 2003/03/02/RHA-RDP | 78T05161A001200010045-7 |
|------------------|---------------------------------------|-------------------------|
| | · · · · · · · · · · · · · · · · · · · | 1 |

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X1


SUMMARY

A marked improvement was noted in the condition of the Hanoi/
Lao Cai Rail Line during this reporting period. Five bridges were
observed newly repaired and straightening of the roadbed was noted
in process in at least 10 places. Two bridge interdictions were noted,
one of which (Viet Tri) can be by-passed by a serviceable ferry. Eight
bridge interdictions were noted on the Hanoi/Dong Hoi Rail Line, 3
of which were new within the reporting period. Two previously
reported interdictions north of Vinh were repaired, and only I of
the 3 new interdictions was found between Hanoi and Vinh, indicating
that the North Vietnamese are still intent upon reopening this segment
to through traffic. Those portions of the Hanoi/Dong Dang, Hanoi/
Haiphong, and Thai Nguyen Rail Lines covered by interpretable
photography were open to through traffic.

CONTENTS

| Hanoi/Lao Cai Rail Line | Page 4 |
|---------------------------|--------|
| Hanoi/Dong Dang Rail Line | 13 |
| Hanoi/Dong Hoi Rail Line | 14 |
| Hanoi/Haiphong Rail Line | 22 |
| Thai Nguyen Rail Line | 23 |

-3-



Approved For Release 2003/03 ECREA - RDP78T05161A001200010045-7

25X1

25X1

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X1

ITEM OF INTEREST NO. 1: Hanoi/Lao Cai Rail Line

NAME : Viet Tri Railroad Yard


BE :

coordinates : 21 18N - 105 26E, WJ 454551

PHOTO REFERENCE :

MAP REFERENCE : JOG (A) 1501, NF 48-11

The Viet Tri Railroad Yard has been moderately damaged by bombing and the turning wye has been heavily cratered. However, at least 3 tracks remain serviceable to through traffic. The main rail line has been interdicted between the yard and the Viet Tri Railroad Ferry (UTM WJ 462550). The rolling stock in the yard consists of 25 box cars, 3 of which are destroyed, and 9 gondola cars, 2 of which are destroyed.



_5.

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X

25X1

ITEM OF INTEREST NO. 2: Hanoi/Lao Cai Rail Line

: Pho Hop RR. Bridge NAME


 \mathbb{BE}

MAP REFERENCE

: 21 49N - 104 45E, VK 752127 COORDINATES

PHOTO REFERENCE : JOG (A) 1501, NF 48-10

The 3-span, deck-beam Pho Hop Railroad Bridge has been repaired and is serviceable.



Approved For Release 2003/03 EARLA-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X1

25X1

25X1

ITEM OF INTEREST NO. 3: Hanoi/Lao Cai Rail Line

NAME

: Pho Chang RR. Bridge

BE

1

COORDINATES


: 21 51N - 104 43E, VK 712172

PHOTO REFERENCE

MAP REFERENCE

: JOG (A) 1501, NF 48-10

The single-span, half-through plate girder Pho Chang Railroad Bridge has been repaired and is serviceable to through traffic. Camouflaging material has been placed along the sides of the bridge to give the appearance of a causeway.



-7-

Approved For Release 2003/03/64 REIA-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X

25X1

ITEM OF INTEREST NO. 4: Hanoi/Lao Cai Rail Line

NAME

: Lang Quach Ngoai RR. Bridge N

BE

:

COORDINATES

MAP REFERENCE


: 21 54N - 104 39E, VK 647231

25X1

PHOTO REFERENCE :

: JOG (A) 1501, NF 48-10

The 3-span, deck-beam Lang Quach Ngoai Railroad Bridge N has been repaired and is serviceable.



Approved For Release 2003/05FGRETA-RDP78T05161A001200010045-7

25X1

25X1

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X1

ITEM OF INTEREST NO. 5: Hanoi/Lao Cai Rail Line

NAME

: Khe Se RR. Bridge

BE

COORDINATES

: 22 00N - 104 33E, VK 538330


PHOTO REFERENCE

:

MAP REFERENCE

: JOG (A) 1501, NF 48-6

The single span, half-through truss Khe Se Railroad Bridge has been repaired and is serviceable.



25X1

-9-

Approved For Release 2003/03 SECRETA-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

ITEM OF INTEREST NO. 6: Hanoi/Lao Cai Rail Line

NAME

: Lang Khay RR. Bridge

BE

25X1

:

COORDINATES

: 22 OlN - 104 31E, VK 509359

PHOTO REFERENCE

: |

MAP REFERENCE

: JOG (A) 1501, NF 48-6

The 3-span, deck-type Lang Khay Railroad Bridge has been repaired and is serviceable.



--

Approved For Release 2003/SEGRETIA-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

ITEM OF INTEREST NO. 7: Hanoi/Lao Cai Rail Line

NAME

: Roadbed Realignment

BE

: NA

COORDINATES


: Varies

PHOTO REFERENCE

MAP REFERENCE

: JOG (A) 1501, NF 48-6, 10, 11

At least 10 instances of roadbed realignment activity were noted along the Hanoi/Lao Cai Rail Line including 8 areas located within a 15 mile segment SE of Yen Bai (21 41N - 104 53E). The degree of realignment varies from slight to extensive adjustments (i.e., lessening) of curvature (Figures 9, 10,11).





-11-


Approved For Release 2003/03604 CRTA-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062







Approved For Release 2003/03/2CRETA-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X1

25X1

ITEM OF INTEREST NO. 1: Hanoi/Dong Hoi Rail Line

NAME

: Bai Duc Thon RR. By-pass Bridge

BE

: NA

COORDINATES


: 18 03N - 105 50E, WE 886964

PHOTO REFERENCE

MAP REFERENCE

: JOG (A) 1501, NE 48-7

Four spans of the 8-span, deck-beam Bai Duc Thon Railroad By-pass Bridge have been destroyed. The main bridge is also unserviceable.



-15-

Approved For Release 2003/03/4-RDP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

ITEM OF INTEREST NO. 2: Hanoi/Dong Hoi Rail Line

NAME

: La Khe Thon RR. By-pass Bridge

BE

: NA

COORDINATES

: 18 03N - 105 49E, WE 872973


PHOTO REFERENCE

:

MAP REFERENCE

: JOG (A) 1501, NE 48-7

The former La Khe Thon Highway Bridge (subsequently converted for railroad use) has been bombed and is unserviceable. Four spans of the deck-beam railroad by-pass bridge have been dropped. The main railroad bridge is also unserviceable.



Approved For Release 2003/0364 REIA-RDP78T05161A001200010045-7

25X1

25X1

25X1

25X1

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

ITEM OF INTEREST NO. 3: Hanoi/Dong Hoi Rail Line

NAME

: Dia Thuy RR. By-pass Bridge NW

BE

:

COORDINATES

: 19 23N - 105 43E, WG 756418


PHOTO REFERENCE

: |

MAP REFERENCE

: JOG (A) 1501, NE 48-3

The multi-span, deck-beam Dia Thuy Railroad By-pass Bridge NW has been repaired and is serviceable. The main bridge remains unserviceable.



| | CIA IMAGERY ANALYSIS DIVISION | PIR 7506 |
|----------------------|-------------------------------|----------|
| | | |
| ITEM OF INTEREST NO. | 4: Hanoi/Dong Hoi Rail Line | |
| NAME | : Phu Cu RR. By-pass Bridge | |
| BE | : NA | |
| COORDINATES | : 19 22N - 105 45E, WG 780429 | |
| PHOTO REFERENCE | : | |
| MAP REFERENCE | : JOG (A) 1501, NE 48-3 | |

remains unserviceable.

25X1



Approved For Release 2003/03/0**§E(R&-R**DP78T05161A001200010045-7

CIA IMAGERY ANALYSIS DIVISION

PIR 75062

25X1

ITEM OF INTEREST NO. 5: Hanoi/Dong Hoi Rail Line

NAME

: Trong Quang Tien RR. Bridge

BE

:

COORDINATES

19 37N - 105 42E, WG 740696

PHOTO REFERENCE

: |

MAP REFERENCE

: JOG (A) 1501, NE 48-3

The 3-spans of the deck-girder Trong Quang Tien Railroad Bridge have been destroyed (Figure 18). The abutments remain intact. The multi-span, deck-type, by-pass bridge has been repaired and is serviceable (Figure 19).



-20-

25X1

25<u>X</u>1

25X1


CIA IMAGERY ANALYSIS DIVISION

PIR 75062



-21-

PIR 75062 FIGURE 20 25X1



KEY All Maps within this report have been keyed in the following manner:

,__Original bridge has not been damaged or destroyed based on available photography.

All intelligence developed within the reporting period is printed in red; older intelligence is printed in black.

Railroad Streams

★ Main bridge bombed - now serviceable. ★ By-pass bridge or bridges serviceable. ☐ Main bridge unserviceable. All bridge crossing facilities unserviceable. ▲ By-pass bridge under construction.

KEY

All Maps within this report have been keyed in the following manner:

- ★ Main bridge bombed now serviceable.
- * By-pass bridge or bridges serviceable.
- Main bridge unserviceable.
- All bridge crossing facilities unserviceable.
- ▲ By-pass bridge under construction.
- __Original bridge has not been damaged or destroyed based on available photography.
- Extent of rail line covered by available, interpretable photography.
- Item of interest. Turn to the item number within the section for further information.

 All intelligence developed within the reporting period is printed in red; older intelligence is printed in black.

THAI NGUYEN RAILROAD

Railroad Streams

Bridge No. & location 5—

2115N 10600E 0 5 10 statute miles